

Macoupin County, Illinois  
Vital Statistics Tables

## Disclaimer

The following pages contain vital statistics data for Macoupin County only. For years 1995-1998, the pages included have been taken directly from the Illinois Department of Public Health vital statistic table for each of these years. The 1999 data is a summary of Macoupin County data contained in the 1999 report. The full reports can be accessed through the Departments URL at <http://www.idph.state.is.us/health/statshome.htm>.



HEALTH SERVICE AREA 03 MACOUPIN  
SELECTED VITAL STATISTICS AMONG RESIDENTS

COUNTY

YEAR: 1995

POPULATION ESTIMATES: TOTAL: 48,400 0-64: 39,640 65+: 8,760

	B O T H S E X E S				F E M A L E S				M A L E S			
	ALL RACES(1)	BLACK	WHITE	HISPANIC	ALL RACES(1)	BLACK	WHITE	HISPANIC	ALL RACES(1)	BLACK	WHITE	HISPANIC
DEATHS	631	10	620	--	327	8	319	--	304	2	301	--
AGE DISTRIBUTION												
UNDER 1 YEAR	3	--	3	--	1	--	1	--	2	--	2	--
1- 4 YEARS	1	--	1	--	--	--	--	--	1	--	1	--
5-14 YEARS	3	--	3	--	1	--	1	--	2	--	2	--
15-24 YEARS	8	--	8	--	4	--	4	--	4	--	4	--
25-44 YEARS	21	1	20	--	4	--	4	--	17	1	16	--
45-64 YEARS	82	1	81	--	34	--	34	--	48	1	47	--
65 YEARS & OVER	513	8	504	--	283	8	275	--	230	--	229	--

DEATHS BY SELECTED CAUSES	1 9 9 5 N U M B E R S				1 9 9 5 N U M B E R S			1 9 9 5 R A T E S		9 1 - 9 5 R A T E S			
	ALL RACES(1)	BLACK	WHITE	HISPANIC	0 - 64	65 +	YPLL	TOTAL	0 - 64	65 +	TOTAL	0 - 64	65 +
ALL DEATHS	631	10	620	--	118	513	2,041	1303.7	297.7	5856.2	1243.2	279.7	5606.9
HEART DISEASE	214	5	209	--	31	183	313	442.1	78.2	2089.0	440.7	71.6	2112.6
ISCHEMIC	155	3	152	--	22	133	210	320.2	55.5	1518.3	312.7	56.9	1471.3
OTHER	59	2	57	--	9	50	103	121.9	*	570.8	128.1	14.7	641.4
MALIGNANT													
NEOPLASMS	135	3	132	--	35	100	343	278.9	88.3	1141.6	274.0	77.7	1163.2
LUNG	39	--	39	--	12	27	115	80.6	30.3	308.2	72.8	22.8	298.9
DIGESTIVE ORGANS	30	3	27	--	10	20	115	62.0	25.2	228.3	66.9	23.4	264.4
COLON, RECTUM	19	2	17	--	5	14	78	39.3	*	159.8	37.4	11.2	156.3
LEUK/LYMPH/HEMAT	12	--	12	--	3	9	28	24.8	*	*	29.5	5.1	140.2
BREAST	12	--	12	--	3	9	18	24.8	*	*	17.0	5.6	69.0
CEREBROVASCULAR DISEASE	59	--	58	--	4	55	30	121.9	*	627.9	96.5	8.6	494.3
UNINTENTIONAL INJURIES(2)	29	1	28	--	21	8	673	59.9	53.0	*	56.1	44.2	110.3
MOTOR VEHICLE	20	--	20	--	18	2	610	41.3	45.4	*	29.5	31.5	*
FALLS	4	--	4	--	--	4	0	*	-0-	*	9.6	*	46.0
FIRE	--	--	--	--	--	--	0	*	-0-	*	*	*	*
POISONING	1	--	1	--	--	1	0	-0-	-0-	*	*	*	*
OTHER	4	1	3	--	3	1	63	*	*	*	12.9	9.1	29.9
CHRONIC OBSTR. PULMONARY	22	--	22	--	4	18	40	45.5	*	205.5	47.4	9.6	218.4
PNEUMONIA & INFLUENZA	28	--	28	--	2	26	85	57.9	*	296.8	55.3	*	292.0
DIABETES MELLITUS	13	--	13	--	2	11	20	26.9	*	125.6	20.0	*	94.3
SUICIDE	8	--	8	--	6	2	160	*	*	*	17.5	13.7	34.5
CIRRHOISIS OF LIVER	2	--	2	--	1	1	3	*	*	*	7.1	*	25.3
ARTERIOSCLEROSIS	3	--	3	--	1	2	3	*	*	*	7.1	*	34.5
NEPHRITIS & NEPHROSIS	8	--	8	--	--	8	0	*	-0-	*	15.4	*	80.5
HOMICIDE	--	--	--	--	--	--	0	-0-	-0-	-0-	*	*	-0-
SEPTICEMIA	11	--	11	--	--	11	0	22.7	-0-	125.6	14.6	*	75.9
PERINATAL CONDITIONS	1	--	1	--	1	--	65	*	*	-0-	4.2	5.1	-0-
CONGENITAL ANOMALIES	1	--	1	--	1	--	65	*	*	-0-	*	*	-0-
HIV INFECTION	--	--	--	--	--	--	0	-0-	-0-	-0-	*	*	-0-

PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE.

MORTALITY RATES ARE PER 100,000 POPULATION IN SPECIFIED AGE GROUP.

YPLL - YEARS OF POTENTIAL LIFE LOST. CALCULATED BASED ON THE NUMBERS OF YEARS BETWEEN AGE AT DEATH AND AGE 65.

\* - A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

-0- - RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

(1) - INCLUDES RACES OTHER THAN WHITE AND BLACK.

(2) - EQUIVALENT TO ACCIDENTS.



HEALTH SERVICE AREA 03 MACOUPIN  
SELECTED VITAL STATISTICS AMONG RESIDENTS

COUNTY

YEAR: 1996  
POPULATION ESTIMATES: TOTAL: 48,500 0-64: 39,750 65+: 8,750

	B O T H S E X E S				F E M A L E S				M A L E S			
	ALL RACES (1)	BLACK	WHITE	HISPANIC	ALL RACES (1)	BLACK	WHITE	HISPANIC	ALL RACES (1)	BLACK	WHITE	HISPANIC
DEATHS	612	1	610	1	338	--	337	--	274	1	273	1
AGE DISTRIBUTION												
UNDER 1 YEAR	3	--	3	--	--	--	--	--	3	--	3	--
1- 4 YEARS	1	--	1	--	1	--	1	--	--	--	--	--
5-14 YEARS	4	--	4	--	2	--	2	--	2	--	2	--
15-24 YEARS	3	--	3	--	--	--	--	--	3	--	3	--
25-44 YEARS	18	--	18	--	11	--	11	--	7	--	7	--
45-64 YEARS	74	--	73	1	29	--	28	--	45	--	45	1
65 YEARS & OVER	509	1	508	--	295	--	295	--	214	1	213	--

DEATHS BY SELECTED CAUSES	1 9 9 6 N U M B E R S				1 9 9 6 N U M B E R S			1 9 9 6 R A T E S		9 2 - 9 6 R A T E S			
	ALL RACES (1)	BLACK	WHITE	HISPANIC	0 - 64	65 +	YPLL	TOTAL	0 - 64	65 +	TOTAL	0 - 64	65 +
ALL DEATHS	612	1	610	1	103	509	1,669	1261.9	259.1	5817.1	1241.1	270.6	5586.4
HEART DISEASE	205	--	205	1	23	182	203	422.7	57.9	2080.0	443.6	70.1	2115.9
ISCHEMIC	149	--	149	--	19	130	168	307.2	47.8	1485.7	321.2	57.4	1502.3
OTHER	56	--	56	1	4	52	35	115.5	*	594.3	122.4	12.7	613.6
MALIGNANT													
NEOPLASMS	140	--	140	--	27	113	343	288.7	67.9	1291.4	266.0	72.6	1131.8
LUNG	52	--	52	--	13	39	113	107.2	32.7	445.7	74.3	24.4	297.7
DIGESTIVE ORGANS	35	--	35	--	1	34	3	72.2	*	388.6	66.0	16.8	286.4
COLON, RECTUM	23	--	23	--	--	23	0	47.4	--	262.9	37.3	7.6	170.5
LEUK/LYMPH/HEMAT	18	--	18	--	6	12	70	37.1	*	137.1	27.4	7.1	118.2
BREAST	7	--	7	--	3	4	68	*	*	*	16.2	5.1	65.9
CEREBROVASCULAR													
DISEASE	50	1	49	--	7	43	73	103.1	*	491.4	96.3	10.2	481.8
UNINTENTIONAL													
INJURIES (2)	29	--	29	--	16	13	510	59.8	40.3	148.6	57.7	41.6	129.5
MOTOR VEHICLE	14	--	14	--	9	5	313	28.9	*	*	28.6	28.4	29.5
FALLS	6	--	6	--	1	5	8	*	*	*	11.6	*	54.5
FIRE	1	--	1	--	1	--	58	*	*	-0-	*	*	*
POISONING	--	--	--	--	--	--	0	-0-	-0-	-0-	*	*	*
OTHER	8	--	8	--	5	3	132	*	*	*	13.7	9.1	34.1
CHRONIC OBSTR.													
PULMONARY	28	--	28	--	4	24	20	57.7	*	274.3	50.2	9.6	231.8
PNEUMONIA &													
INFLUENZA	17	--	17	--	2	15	15	35.1	*	171.4	51.0	*	265.9
DIABETES MELLITUS	16	--	15	--	4	12	35	33.0	*	137.1	22.8	*	106.8
SUICIDE	3	--	3	--	--	3	0	*	-0-	*	13.3	9.1	31.8
CIRRHOISIS OF LIVER	3	--	3	--	1	2	8	*	*	*	6.2	*	22.7
ARTERIOSCLEROSIS	4	--	4	--	--	4	0	*	-0-	*	7.1	*	34.1
NEPHRITIS &													
NEPHROSIS	8	--	8	--	1	7	3	*	*	*	15.8	*	79.5
HOMICIDE	1	--	1	--	1	--	23	*	*	-0-	*	*	-0-
SEPTICEMIA	4	--	4	--	--	4	0	*	-0-	*	13.7	*	70.5
PERINATAL													
CONDITIONS	2	--	2	--	2	--	130	*	*	-0-	5.0	6.1	-0-
CONGENITAL													
ANOMALIES	--	--	--	--	--	--	0	-0-	-0-	-0-	*	*	-0-
HIV INFECTION	1	--	1	--	1	--	33	*	*	-0-	*	*	-0-

PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE.

MORTALITY RATES ARE PER 100,000 POPULATION IN SPECIFIED AGE GROUP.

YPLL - YEARS OF POTENTIAL LIFE LOST. CALCULATED BASED ON THE NUMBERS OF YEARS BETWEEN AGE AT DEATH AND AGE 65.

\* - A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

-0- - RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

(1) - INCLUDES RACES OTHER THAN WHITE AND BLACK.

(2) - EQUIVALENT TO ACCIDENTS.

HEALTH SERVICE AREA 03 MACOUPIN  
SELECTED VITAL STATISTICS AMONG RESIDENTS

COUNTY

	1 9 9 7				1 9 9 7				1 9 9 3 - 1 9 9 7			
	N U M B E R S				P E R C E N T S				P E R C E N T S			
	ALL RACES(1)	BLACK	WHITE	HISPANIC	ALL RACES(1)	BLACK	WHITE	HISPANIC	ALL RACES(1)	BLACK	WHITE	HISPANIC
LIVE BIRTHS	519	3	514	3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
FEMALES	231	1	229	2	44.5	*	44.6	*	47.4	*	47.3	*
MALES	288	2	285	1	55.5	*	55.4	*	52.6	*	52.7	*
MULTIPLE BIRTHS	13	--	13	2	2.5	-0-	2.5	*	2.8	-0-	2.8	*
AGE DISTRIBUTION												
UNDER 20 YEARS	70	1	68	--	13.5	*	13.2	-0-	15.3	*	15.3	*
20-34 YEARS	398	2	395	3	76.7	*	76.8	*	77.7	*	77.7	*
35 YEARS & OVER	51	--	51	--	9.8	-0-	9.9	-0-	7.0	-0-	7.1	-0-
MARITAL STATUS												
MARRIED	374	1	371	2	72.1	*	72.2	*	70.6	*	70.9	*
SINGLE	145	2	143	1	27.9	*	27.8	*	29.4	*	29.1	*
TRIMESTER PRENATAL CARE BEGUN												
FIRST	454	--	452	2	87.8	-0-	88.3	*	84.9	*	85.0	*
SECOND	50	2	48	1	9.7	*	9.4	*	12.6	*	12.6	*
THIRD	10	1	9	--	1.9	*	*	-0-	1.9	*	1.9	-0-
NO CARE	3	--	3	--	*	-0-	*	-0-	0.5	-0-	0.5	-0-
MATERNAL EDUCATION												
NOT HS GRADUATE	69	1	68	--	13.3	*	13.3	-0-	15.9	*	15.9	*
BIRTH WEIGHT												
0-1499 GRAMS	3	--	3	--	*	-0-	*	-0-	1.2	-0-	1.2	-0-
0-2499 GRAMS	37	--	37	1	7.1	-0-	7.2	*	7.1	*	6.9	-0-
CAESAREAN SECTIONS												
PRIMARY	130	1	129	--	25.0	*	25.1	-0-	23.0	*	22.9	*
SECONDARY	78	--	78	--	15.0	-0-	15.2	-0-	13.1	*	13.2	-0-
SECONDARY	52	1	51	--	10.0	*	9.9	-0-	9.9	*	9.8	*

	1 9 9 7				R A T E S				1 9 9 3 - 1 9 9 7				R A T E S				
MORTALITY																	
NEONATAL	2	--	2	--	*	-0-	*	-0-	4.8	-0-	4.9	-0-					
POSTNEONATAL	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-					
INFANT	2	--	2	--	*	-0-	*	-0-	7.4	-0-	7.5	-0-					
FETAL	1	--	1	--	*	-0-	*	-0-	6.3	-0-	6.3	-0-					
PERINATAL	3	--	3	--	*	-0-	*	-0-	11.1	-0-	11.2	-0-					

PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE.  
MORTALITY RATES ARE PER 1,000 LIVE BIRTHS, EXCEPT FETAL AND PERINATAL WHICH ARE PER 1,000 LIVE BIRTHS PLUS FETAL DEATHS.  
SEPARATE, NOT LINKED, BIRTH AND DEATH DATA USED FOR MORTALITY RATES AND NUMBERS.  
\* - A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.  
-0- - RATE 0 CORRESPONDING TO -- ON FREQUENCIES.  
(1) - INCLUDES RACES OTHER THAN WHITE AND BLACK.

HEALTH SERVICE AREA 03 MACOUPIN  
SELECTED VITAL STATISTICS AMONG RESIDENTS

COUNTY

YEAR: 1997

POPULATION ESTIMATES: TOTAL: 48,400 0-64: 39,680 65+: 8,720

	B O T H S E X E S				F E M A L E S				M A L E S			
	ALL RACES(1)	BLACK	WHITE	HISPANIC	ALL RACES(1)	BLACK	WHITE	HISPANIC	ALL RACES(1)	BLACK	WHITE	HISPANIC
DEATHS	564	9	555	--	285	3	282	--	279	6	273	--
AGE DISTRIBUTION												
UNDER 1 YEAR	2	--	2	--	1	--	1	--	1	--	1	--
1- 4 YEARS	--	--	--	--	--	--	--	--	--	--	--	--
5-14 YEARS	--	--	--	--	--	--	--	--	--	--	--	--
15-24 YEARS	1	--	1	--	--	--	--	--	1	--	1	--
25-44 YEARS	24	--	24	--	10	--	10	--	14	--	14	--
45-64 YEARS	79	--	79	--	34	--	34	--	45	--	45	--
65 YEARS & OVER	458	9	449	--	240	3	237	--	218	6	212	--

DEATHS BY SELECTED CAUSES	1 9 9 7 N U M B E R S				1 9 9 7 N U M B E R S			1 9 9 7 R A T E S		9 3 - 9 7 R A T E S			
	ALL RACES(1)	BLACK	WHITE	HISPANIC	0 - 64	65 +	YPLL	TOTAL	0 - 64	65 +	TOTAL	0 - 64	65 +
ALL DEATHS	564	9	555	--	106	458	1,435	1165.3	267.1	5252.3	1247.2	275.4	5609.1
HEART DISEASE	186	2	184	--	27	159	293	384.3	68.0	1823.4	428.2	70.4	2034.1
ISCHEMIC	132	2	130	--	18	114	180	272.7	45.4	1307.3	307.2	55.2	1438.6
OTHER	54	--	54	--	9	45	113	111.6	*	516.1	120.9	15.2	595.5
MALIGNANT													
NEOPLASMS	118	1	117	--	35	83	318	243.8	88.2	951.8	267.9	75.4	1131.8
LUNG	35	--	35	--	11	24	78	72.3	27.7	275.2	80.7	27.8	318.2
DIGESTIVE ORGANS	25	--	25	--	5	20	23	51.7	*	229.4	63.4	13.7	286.4
COLON, RECTUM	16	--	16	--	4	12	15	33.1	*	137.6	39.3	7.1	184.1
LEUK/LYMPH/HEMAT	12	--	12	--	1	11	38	24.8	*	126.1	27.3	6.6	120.5
BREAST	8	--	8	--	4	4	45	*	*	*	17.8	6.6	68.2
CEREBROVASCULAR DISEASE	44	1	43	--	4	40	60	90.9	*	458.7	98.1	11.1	488.6
UNINTENTIONAL													
INJURIES(2)	23	--	23	--	13	10	283	47.5	32.8	114.7	59.2	42.5	134.1
MOTOR VEHICLE	11	--	11	--	8	3	200	22.7	*	*	28.2	27.3	31.8
FALLS	4	--	4	--	--	4	0	*	-0-	*	12.0	*	56.8
FIRE	1	--	1	--	1	--	8	*	*	-0-	*	*	*
POISONING	2	--	2	--	2	--	60	*	*	-0-	*	*	*
OTHER	5	--	5	--	2	3	15	*	*	*	14.5	10.1	34.1
CHRONIC OBSTR. PULMONARY	16	--	16	--	--	16	0	33.1	-0-	183.5	50.9	7.6	245.5
PNEUMONIA & INFLUENZA	29	1	28	--	1	28	8	59.9	*	321.1	53.4	*	281.8
DIABETES MELLITUS	13	--	13	--	2	11	10	26.9	*	126.1	24.0	5.1	109.1
SUICIDE	8	--	8	--	4	4	85	*	*	*	14.1	9.6	34.1
CIRRHOSIS OF LIVER	9	--	9	--	2	7	30	*	*	*	8.3	*	31.8
ARTERIOSCLEROSIS	4	--	4	--	--	4	0	*	-0-	*	7.5	*	36.4
NEPHRITIS & NEPHROSIS	11	--	11	--	1	10	65	22.7	*	114.7	15.7	*	77.3
HOMICIDE	1	--	1	--	1	--	23	*	*	-0-	*	*	-0-
SEPTICEMIA	9	--	9	--	1	8	18	*	*	*	14.9	*	77.3
PERINATAL CONDITIONS	1	--	1	--	1	--	65	*	*	-0-	5.0	6.1	-0-
CONGENITAL ANOMALIES	1	--	1	--	1	--	33	*	*	-0-	*	*	-0-
HIV INFECTION	--	--	--	--	--	--	0	-0-	-0-	-0-	*	*	-0-

PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE.

MORTALITY RATES ARE PER 100,000 POPULATION IN SPECIFIED AGE GROUP.

YPLL - YEARS OF POTENTIAL LIFE LOST. CALCULATED BASED ON THE NUMBERS OF YEARS BETWEEN AGE AT DEATH AND AGE 65.

\* - A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

-0- - RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

(1) - INCLUDES RACES OTHER THAN WHITE AND BLACK.

(2) - EQUIVALENT TO ACCIDENTS.

HEALTH SERVICE AREA 03 MACOUPIN  
 SELECTED VITAL STATISTICS AMONG RESIDENTS

COUNTY

	1998 NUMBERS				1998 PERCENTS				1994 - 1998 PERCENTS			
	ALL RACES (1)	BLACK	WHITE	HISPANIC	ALL RACES (1)	BLACK	WHITE	HISPANIC	ALL RACES (1)	BLACK	WHITE	HISPANIC
LIVE BIRTHS	525	3	522	4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
FEMALES	260	--	260	--	49.5	-0-	49.8	-0-	47.3	*	47.3	*
MALES	265	3	262	4	50.5	*	50.2	*	52.7	*	52.7	*
MULTIPLE BIRTHS	10	--	10	--	1.9	-0-	1.9	-0-	2.8	-0-	2.9	*
AGE DISTRIBUTION												
UNDER 20 YEARS	86	--	86	2	16.4	-0-	16.5	*	15.6	*	15.5	*
20-34 YEARS	400	3	397	2	76.2	*	76.1	*	77.2	*	77.2	*
35 YEARS & OVER	39	--	39	--	7.4	-0-	7.5	-0-	7.3	-0-	7.3	-0-
MARITAL STATUS												
MARRIED	351	1	350	--	66.9	*	67.0	-0-	70.2	*	70.5	*
SINGLE	174	2	172	4	33.1	*	33.0	*	29.8	*	29.5	*
TRIMESTER PRENATAL CARE BEGUN												
FIRST	442	2	440	2	84.7	*	84.8	*	85.1	*	85.2	*
SECOND	63	--	63	2	12.1	-0-	12.1	*	12.3	*	12.2	*
THIRD	14	1	13	--	2.7	*	2.5	-0-	2.1	*	2.0	-0-
NO CARE	3	--	3	--	*	-0-	*	-0-	0.6	-0-	0.6	-0-
MATERNAL EDUCATION NOT HS GRADUATE	99	--	99	1	18.9	-0-	19.0	*	16.1	*	16.1	*
BIRTH WEIGHT												
0-1499 GRAMS	6	--	6	--	*	-0-	*	-0-	1.0	-0-	1.1	-0-
0-2499 GRAMS	40	1	39	--	7.6	*	7.5	-0-	7.5	*	7.3	-0-
CAESAREAN SECTIONS												
PRIMARY	112	1	111	--	21.3	*	21.3	-0-	22.6	*	22.5	*
SECONDARY	63	--	63	--	12.0	-0-	12.1	-0-	13.0	*	13.0	-0-
	49	1	48	--	9.3	*	9.2	-0-	9.6	*	9.5	*
						1998	RATES			1994 - 1998	RATES	
MORTALITY												
NEONATAL	1	--	1	--	*	-0-	*	-0-	4.5	-0-	4.5	-0-
POSTNEONATAL	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
INFANT	1	--	1	--	*	-0-	*	-0-	5.6	-0-	5.6	-0-
FETAL	4	--	4	--	*	-0-	*	-0-	5.6	-0-	5.6	-0-
PERINATAL	5	--	5	--	*	-0-	*	-0-	10.0	-0-	10.1	-0-

PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE.  
 MORTALITY RATES ARE PER 1,000 LIVE BIRTHS, EXCEPT FETAL AND PERINATAL WHICH ARE PER 1,000 LIVE BIRTHS PLUS FETAL DEATHS.  
 SEPARATE, NOT LINKED, BIRTH AND DEATH DATA USED FOR MORTALITY RATES AND NUMBERS.  
 \* - A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.  
 -0- - RATE 0 CORRESPONDING TO -- ON FREQUENCIES.  
 (1) - INCLUDES RACES OTHER THAN WHITE AND BLACK.

HEALTH SERVICE AREA 03 MACOUPIN  
SELECTED VITAL STATISTICS AMONG RESIDENTS

COUNTY

YEAR: 1998

POPULATION ESTIMATES: TOTAL: 48,600 0-64: 39,850 65+: 8,750

	B O T H S E X E S				F E M A L E S				M A L E S			
	ALL RACES(1)	BLACK	WHITE	HISPANIC	ALL RACES(1)	BLACK	WHITE	HISPANIC	ALL RACES(1)	BLACK	WHITE	HISPANIC
DEATHS	574	8	565	1	289	2	286	--	285	6	279	1
AGE DISTRIBUTION												
UNDER 1 YEAR	1	--	1	--	1	--	1	--	--	--	--	--
1 - 4 YEARS	1	--	1	--	--	--	--	--	1	--	1	--
5 - 14 YEARS	4	--	4	--	1	--	1	--	3	--	3	--
15 - 24 YEARS	9	--	9	--	6	--	6	--	3	--	3	--
25 - 44 YEARS	25	--	25	--	12	--	12	--	13	--	13	--
45 - 64 YEARS	69	2	66	--	27	1	25	--	42	1	41	--
65 YEARS & OVER	465	6	459	1	242	1	241	--	223	5	218	1

DEATHS BY SELECTED CAUSES	1998 NUMBERS				1998 NUMBERS				1998 RATES		1994 - 1998 RATES		
	ALL RACES(1)	BLACK	WHITE	HISPANIC	0 - 64	65 +	YPLL	TOTAL	0 - 64	65 +	TOTAL	0 - 64	65 +
ALL DEATHS	574	8	565	1	109	465	1,979	1181.1	273.5	5314.3	1228.1	272.2	5529.5
HEART DISEASE	181	4	177	--	27	154	418	372.4	67.8	1760.0	412.4	65.7	1972.7
ISCHEMIC	138	2	136	--	23	115	368	284.0	57.7	1314.3	295.9	50.5	1400.0
OTHER	43	2	41	--	4	39	50	88.5	*	445.7	116.5	15.2	572.7
MALIGNANT													
NEOPLASMS	131	1	129	--	36	95	460	269.5	90.3	1085.7	267.8	79.3	1115.9
LUNG	32	--	32	--	4	28	50	65.8	*	320.0	79.8	24.7	327.3
DIGESTIVE ORGANS	33	1	32	--	10	23	140	67.9	25.1	262.9	62.8	16.2	272.7
COLON, RECTUM	21	1	20	--	5	16	88	43.2	*	182.9	38.8	8.1	177.3
LEUK/LYMPH/HEMAT	15	--	15	--	3	12	13	30.9	*	137.1	26.4	7.6	111.4
BREAST	5	--	4	--	3	2	23	*	*	*	17.4	7.1	63.6
CEREBROVASCULAR DISEASE	45	1	44	--	2	43	20	92.6	*	491.4	95.5	9.1	484.1
UNINTENTIONAL INJURIES(2)	30	--	30	--	15	15	568	61.7	37.6	171.4	60.7	43.4	138.6
MOTOR VEHICLE	19	--	19	--	14	5	510	39.1	35.1	*	32.2	30.3	40.9
FALLS	6	--	6	--	--	6	0	*	-0-	*	10.7	*	54.5
FIRE	--	--	--	--	--	--	0	-0-	-0-	-0-	*	*	*
POISONING	--	--	--	--	--	--	0	-0-	-0-	-0-	*	*	*
OTHER	5	--	5	--	1	4	58	*	*	*	14.5	9.6	36.4
CHRONIC OBSTR. PULMONARY	29	--	29	--	5	24	28	59.7	*	274.3	51.2	8.1	245.5
PNEUMONIA & INFLUENZA	25	--	25	1	--	25	0	51.4	-0-	285.7	53.3	*	281.8
DIABETES MELLITUS	14	--	14	--	2	12	10	28.8	*	137.1	26.0	5.6	118.2
SUICIDE	9	--	9	--	6	3	115	*	*	*	14.0	10.6	29.5
CIRRHOSIS OF LIVER	1	--	1	--	--	1	0	*	-0-	*	7.4	*	29.5
ARTERIOSCLEROSIS	1	--	1	--	--	1	0	*	-0-	*	5.8	*	27.3
NEPHRITIS & NEPHROSIS	10	1	9	--	1	9	13	20.6	*	*	16.9	*	81.8
HOMICIDE	1	--	1	--	1	--	62	*	*	-0-	*	*	-0-
SEPTICEMIA	3	--	3	--	--	3	0	*	-0-	*	14.5	*	77.3
PERINATAL CONDITIONS	--	--	--	--	--	--	0	-0-	-0-	-0-	*	*	-0-
CONGENITAL ANOMALIES	2	--	2	--	2	--	122	*	*	-0-	*	*	-0-
HIV INFECTION	--	--	--	--	--	--	0	-0-	-0-	-0-	*	*	-0-

PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE.  
MORTALITY RATES ARE PER 100,000 POPULATION IN SPECIFIED AGE GROUP.  
YPLL - YEARS OF POTENTIAL LIFE LOST. CALCULATED BASED ON THE NUMBERS OF YEARS BETWEEN AGE AT DEATH AND AGE 65.  
\* - A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.  
-0- - RATE 0 CORRESPONDING TO -- ON FREQUENCIES.  
(1) - INCLUDES RACES OTHER THAN WHITE AND BLACK.  
(2) - EQUIVALENT TO ACCIDENTS.

## 1999 Data Tables

### Natality Summary

All Births		Births to Teenage Women				Births of Low Birthweight		Births to Unmarried Women	
		Number			Percent	Number	Percent	Number	Percent
Number of Births	Crude Birth Rate <sup>1</sup>	10-14 Years	15-17 Years	18-19 Years	10-19 Years				
579	11.8	--	25	65	15.5	38	6.6	167	28.8

<sup>1</sup> Rate per 1,000 population

### Mortality Summary of Rates and Selected Causes

All Deaths	Crude Death Rate		Premature Mortality			Number of Deaths by Cause				
	Rate <sup>1</sup>	95% Confidence Interval <sup>2</sup>	Age 0-64 Deaths	Rate <sup>3</sup>	95% Confidence Interval <sup>2</sup>	Diseases of Heart	Malignant Neoplasms	Cerebro-Vascular Diseases	CLRD <sup>4</sup>	Accidents
667	13.6	12.6, 14.7	112	278.6	227.1, 330.3	227	134	43	34	29

<sup>1</sup> Rate per 1,000 population

<sup>2</sup> "True" rate has a 19 in 20 chance of being within the specified range

<sup>3</sup> Rate per 100,000 population age 0-64 years

<sup>4</sup> Chronic lower respiratory diseases

### Mortality Summary by Age

All Deaths	Infant Mortality			Number of Deaths by Age					
	Number	Rate <sup>1</sup>	95% Confidence Interval <sup>2</sup>	1-14 Years	15-24 Years	25-44 Years	45-64 Years	65-84 Years	85+ Years
667	3	*	--	8	8	37	188	577	372

<sup>1</sup> Rate per 100,000 births; not shown for counties with less than 10 infant deaths

<sup>2</sup> "True" infant mortality rate has a 19 in 20 chance of being within the specified range

## Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates

	1999 Numbers				1999 Rates				1995-1999 Rates			
	All Races	Black	White	Hispanic <sup>1</sup>	All Races	Black	White	Hispanic <sup>1</sup>	All Races	Black	White	Hispanic <sup>1</sup>
Neonatal	2	--	2	--	*	-0-	*	-0-	3.7	-0-	3.7	-0-
Postneonatal	1	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	3	--	3	--	*	-0-	*	-0-	4.4	-0-	4.5	-0-
Fetal	2	--	2	--	*	-0-	*	-0-	4.8	-0-	4.8	-0-
Perinatal	4	--	4	--	*	-0-	*	-0-	8.5	-0-	8.6	-0-

<sup>1</sup> Hispanic may be of any race